polypeptide has at least 90% amino acid sequence identity

- 3. (Amended) The Apo-2DcR polypeptide of claim 2 wherein said Apo-2DcR polypeptide has at least 95% amino acid sequence identity.
- 4. (Amended) Isolated native sequence Apo-2DcR polypeptide comprising amino acid residues 1 to 259 of SEQ ID NO:1.
- 5. (Amended) Isolated extracellular domain sequence of Apo-2DcR polypeptide comprising amino acid residues 1 to 161 of SEQ ID NO:1.
- 6. (Amended) The extracellular domain sequence of claim 5 comprising amino acid residues 1 to 236 of SEQ ID NO:1.
- 7. (Amended) Isolated native sequence Apo-2DcR polypeptide comprising amino acid residues 1 to 299 of SEQ ID NO:3.
- 8. A chimeric molecule comprising the Apo-2DcR polypeptide of claim 1 or the extracellular domain sequence of claim 5 fused to a heterologous amino acid sequence.
- 9. The chimeric molecule of claim 8 wherein said heterologous amino acid sequence is an epitope tag sequence.
- 10. The chimeric molecule of claim 8 wherein said heterologous amino acid sequence is an immunoglobulin sequence.
- 11. The chimeric molecule of claim 10 wherein said immunoglobulin sequence is an IqG.
- 15. Isolated nucleic acid encoding the Apo-2DcR polypeptide of claim 1 or the extracellular domain sequence of claim 5.
- 16. (Amended) The nucleic acid of claim 15 wherein said nucleic acid encodes native sequence Apo-2DcR polypeptide comprising amino acid

residues 1 to 259 of SEQ ID NO:1.

- 17. (Amended) The nucleic acid of claim 15 comprising nucleotides 193 to 969 of SEQ ID NO:2.
- 18. A vector comprising the nucleic acid of claim 15.
- 19. (Amended) A vector comprising the nucleic acid of claim 15 operably . linked to one or more control sequences recognized by a host cell transformed with the vector.
 - 20. A host cell comprising the vector of claim 18.
 - 21. (Amended) A process of using a nucleic acid molecule encoding Apo-2DcR polypeptide to effect production of Apo-2DcR polypeptide comprising culturing the host cell of claim 20 under conditions such that the Apo-2DcR polypeptide is produced.
- 30. (Amended) The host cell of claim 20 which is an E. coli cell.
 - 31. (Amended) The host cell of claim 20 which is a Chinese Hamster ovary (CHO) cell.
- 32. (Amended) The host cell of claim 20 which is a yeast cell.